Areas and ranges of application

Ejectors Vacuum technology

<

Waste gas cleaning Environmental technology



THE EJECTOR COMPANY

Ejectors Vacuum technology

Waste ga



Evaporation technology

Körting thermocompressors in evaporation plants or as compressors to adjust pressure levels in steam networks

- optimum energy utilisation
- many years of experience
- on-going further development
- worldwide leading in this field

Shipbuilding

Körting water jet ejectors with high suction capacity

- for bilging inaccessible tank and ballast spaces
- for conveying solids
- for fresh water generation





Fertiliser production

Körting HP-Ejectors for re-feeding the carbamate solution in urea reactors, multi-stage steam jet vacuum plants. Boosters and condensers are designed especially for

- requirements prevailing at urea evaporation stages
- particularly economical
- guarantee for trouble-free operation
 absolutely worldwide leading in this
- field

Edible oil processing

Körting steam jet ejectors can be found in nearly all important process stages of the edible oil production. Specially developed systems with closed water circuits, cold water systems as well as ice condensation plants guarantee

- energy saving
- environmental protection
- reliability





Paper production

Körting steam jet compressors allow for

- sensitive process control
- uniform temperature distribution
- continuous steam recirculation

and they are important for high product quality.

Chemical industry

Körting supplies customised solutions for vacuum generation from 0.01 mbar suction pressure and from 0.5 kg/h suction flow

· high operational safety





Petrol refineries

Multi-stage vacuum systems with exactly coordinated steam jet vacuum ejectors and surface condensers with our own developed design software

- optimised consumption
- operational reliability

Steel degassing

Körting steam jet vacuum ejectors for degassing during steel production

- high suction performance
- low space requirements
- low investment and operating costs
- almost maintenance-free



as cleaning Environmental technology





Power plants

Körting turbine condensers as well as steam and water jet vacuum ejectors for condenser exhauster applications have been firm components of steam power plants for many decades now and allow

- best possible heat recovery
- lowering of energy consumption

Gas cleaning

Körting gas scrubbing plants with the components

- Jet scrubber
- Venturi scrubber

have been utilised successfully for decades for

- cooling
- physical and chemical absorption
- dedusting



Polyester production

Körting glycol steam jet vacuum plants

- minimise operating and maintenance costs
- lead to an exceptionally high operational safety
- minimise environmental impact



Oleochemistry

Reliable vacuum systems for diverse process steps such as

- drving
- destillation
- fractionating
- transesterification

during production of

- biodiesel
- fatty acids
- soaps
- glycerine



Chilling Crystallisation

Körting vacuum chilling plants for generating cold water and for crystallisation processes

- environment-friendly
- energy saving

Droplet separation

Körting swirl droplet separator make an essential contribution towards the observation of emission codes and therefore towards the protection of the environment

- in gas scrubbing and vacuum plants
- for condensate separation in chimney stacks
- in evaporating plants
- for the separation of difficult products (e.g. those with a tendency to polymerisation)

Water treatment

Körting ejectors are applied as the centre piece of gas introduction systems

- for waste water aeration
- to introduce ozone and oxygen
- in the pressurised dissolved air flotation
- for disinfecting potable water and de-acidification

Furthermore, also for diluting and conveying of acids and lyes and for the regeneration of ion exchangers.

Textile finishing

Körting Caustic Recovery Plants (CRP) for recovering mercerising lye

- turn mercerising waste water into money
- payback time < 1 year
- global market leader in Caustic **Recovery Plants (CRP)**
- nearly 100 % recovery rate
- sustainability in the mercerisation process











FED s.r.l.

Via dei Valtorta, 2 20127 MILANO Italy

Tel.: +39 02 26826332 Fax: +39 02 26140150

E-mail: fed@fed.it

www.fed.it